

CERTIFICATE OF COMPLIANCE

Certificate Number 20141027-EX26613
Report Reference EX26613-20141023
Issue Date 2014-OCTOBER-27

Issued to: ARMOR FIRE FIGHTING MANUFACTURING
48 Biltmore CR
Roxburgh Park, Victoria 3065 AUSTRALIA

This is to certify that representative samples of CENTRIFUGAL FIRE PUMPS, SPLIT CASE
ARS 80-220, ARS 80-280, ARS 100-320, ARS 125-300,
ARS 250-610


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Standard for Safety for Centrifugal Stationary Pumps for Fire-Protection Service, UL 448

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus





QXJY.EX26613 Centrifugal Fire Pumps, Split Case

[Page Bottom](#)

Centrifugal Fire Pumps, Split Case

[See General Information for Centrifugal Fire Pumps, Split Case](#)

ARMOR FIRE FIGHTING MANUFACTURING

EX26613

48 Biltmore CR

Roxburgh Park, Victoria 3065 AUSTRALIA

Fire pumps, single stage

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
50	5x3	ARS 80-220	78	2800	120
50	5x3	ARS 80-220	84	2900	120
50	5x3	ARS 80-220	87	2950	120
50	5x3	ARS 80-220	90	3000	120
50	5x3	ARS 80-220	103	3200	120
50	5x3	ARS 80-280	137	2800	210
50	5x3	ARS 80-280	147	2900	210
50	5x3	ARS 80-280	152	2950	210
50	5x3	ARS 80-280	157	3000	210
50	5x3	ARS 80-280	179	3200	210
100	5x3	ARS 80-220	77	2800	120
100	5x3	ARS 80-220	83	2900	120
100	5x3	ARS 80-220	86	2950	120
100	5x3	ARS 80-220	89	3000	120
100	5x3	ARS 80-220	102	3200	120
100	5x3	ARS 80-280	134	2800	210
100	5x3	ARS 80-280	144	2900	210
100	5x3	ARS 80-280	149	2950	210
100	5x3	ARS 80-280	154	3000	210
100	5x3	ARS 80-280	176	3200	210
150	5x3	ARS 80-220	77	2800	120
150	5x3	ARS 80-220	83	2900	120
150	5x3	ARS 80-220	86	2950	120
150	5x3	ARS 80-220	89	3000	120
150	5x3	ARS 80-220	101	3200	120
150	5x3	ARS 80-280	133	2800	210
150	5x3	ARS 80-280	143	2900	210
150	5x3	ARS 80-280	148	2950	210

150	5x3	ARS 80-280	153	3000	210
150	5x3	ARS 80-280	174	3200	210
200	5x3	ARS 80-220	77	2800	120
200	5x3	ARS 80-220	83	2900	120
200	5x3	ARS 80-220	86	2950	120
200	5x3	ARS 80-220	89	3000	120
200	5x3	ARS 80-220	101	3200	120
200	5x3	ARS 80-280	133	2800	210
200	5x3	ARS 80-280	143	2900	210
200	5x3	ARS 80-280	148	2950	210
200	5x3	ARS 80-280	153	3000	210
200	5x3	ARS 80-280	174	3200	210
250	5x3	ARS 80-220	77	2800	120
250	5x3	ARS 80-220	83	2900	120
250	5x3	ARS 80-220	86	2950	120
250	5x3	ARS 80-220	89	3000	120
250	5x3	ARS 80-220	101	3200	120
250	5x3	ARS 80-280	133	2800	210
250	5x3	ARS 80-280	143	2900	210
250	5x3	ARS 80-280	148	2950	210
250	5x3	ARS 80-280	153	3000	210
250	5x3	ARS 80-280	174	3200	210
250	6x4	ARS 100-320	192	2800	250
250	6x4	ARS 100-320	206	2900	250
250	6x4	ARS 100-320	213	2950	250
250	6x4	ARS 100-320	220	3000	250
300	5x3	ARS 80-220	76	2800	120
300	5x3	ARS 80-220	82	2900	120
300	5x3	ARS 80-220	85	2950	120
300	5x3	ARS 80-220	88	3000	120
300	5x3	ARS 80-220	100	3200	120
300	5x3	ARS 80-280	134	2800	210
300	5x3	ARS 80-280	143	2900	210
300	5x3	ARS 80-280	148	2950	210
300	5x3	ARS 80-280	153	3000	210
300	5x3	ARS 80-280	175	3200	210
300	6x4	ARS 100-320	192	2800	250
300	6x4	ARS 100-320	206	2900	250
300	6x4	ARS 100-320	213	2950	250
300	6x4	ARS 100-320	221	3000	250
400	5x3	ARS 80-220	74	2800	120
400	5x3	ARS 80-220	80	2900	120
400	5x3	ARS 80-220	83	2950	120
400	5x3	ARS 80-220	86	3000	120

400	5x3	ARS 80-220	99	3200	120
400	5x3	ARS 80-280	134	2800	210
400	5x3	ARS 80-280	144	2900	210
400	5x3	ARS 80-280	149	2950	210
400	5x3	ARS 80-280	154	3000	210
400	5x3	ARS 80-280	175	3200	210
400	6x4	ARS 100-320	193	2800	250
400	6x4	ARS 100-320	207	2900	250
400	6x4	ARS 100-320	214	2950	250
400	6x4	ARS 100-320	221	3000	250
450	5x3	ARS 80-220	73	2800	120
450	5x3	ARS 80-220	79	2900	120
450	5x3	ARS 80-220	82	2950	120
450	5x3	ARS 80-220	85	3000	120
450	5x3	ARS 80-220	98	3200	120
450	5x3	ARS 80-280	144	2900	210
450	5x3	ARS 80-280	149	2950	210
450	5x3	ARS 80-280	154	3000	210
450	5x3	ARS 80-280	175	3200	210
450	6x4	ARS 100-320	192	2800	250
450	6x4	ARS 100-320	206	2900	250
450	6x4	ARS 100-320	214	2950	250
450	6x4	ARS 100-320	221	3000	250
500	5x3	ARS 80-220	76	2900	120
500	5x3	ARS 80-220	79	2950	120
500	5x3	ARS 80-220	82	3000	120
500	5x3	ARS 80-220	96	3200	120
500	5x3	ARS 80-280	175	3200	210
500	5x3	ARS 80-280	123-133	2900	200
500	6x4	ARS 100-320	192	2800	250
500	6x4	ARS 100-320	206	2900	250
500	6x4	ARS 100-320	213	2950	250
500	6x4	ARS 100-320	221	3000	250
750	6x4	ARS 100-320	201	2900	250
750	6x4	ARS 100-320	209	2950	250
750	6x4	ARS 100-320	216	3000	250
1000	8x5	ARS 125-300	169	2900	230
1000	12x10	ARS 250-610	115	1480	210
1000	12x10	ARS 250-610	135	1600	210
1250	12x10	ARS 250-610	116	1480	210
1250	12x10	ARS 250-610	135	1600	210
1500	12x10	ARS 250-610	116	1480	210
1500	12x10	ARS 250-610	135	1600	210
2000	12x10	ARS 250-610	116	1480	210

2000	12x10	ARS 250-610	136	1600	210
2500	12x10	ARS 250-610	134	1600	210

Trademark and/or Tradename:  ,  ,  ,  ,  , 

Last Updated on 2014-10-27

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".